

The Silent Range

There are times when the compressor has to be sited near the point of use and for these installations we have developed the VTS Models which are almost inaudible when running and are perfect when no noise is essential.

Not just an acoustic hood but a dedicated silent range. Engineered from the ground up, with a stunning design that will look great in any location – something that looks this good *should* have pride of place in your workspace !

Having the same innovative features and technological advances as the standard VT models, this additional range has been developed to deliver the highest quality of compressed air with noise levels from as low as 54 dB(A). To ensure the highest levels of reliability, we have carefully studied air flow dynamics and incorporated full force through ventilation to keep everything running cool. A thermostatically controlled sensor signals when any of the four cooling fans should run, reducing noise levels to the absolute minimum.

An optional integral air dryer and after cooler is available on every model achieving a -40°C Dewpoint, delivering the ultimate combination of silence, oil free and dry air in an ultra compact and stylish package.




Cooling



Integral Air Dryer



Fascia Panel



Ventilation

Bambi Air Compressors Ltd was established in 1977 and enjoys a worldwide reputation for quality and after-sales care and service. Dedicated to the manufacture of innovative and meticulously engineered products, our extensive range is as diverse as our customers themselves.

Our policy of continual development and improvement has ensured we remain at the forefront of our industry. Through acquisition and organic growth we now operate a number of specialist divisions within our organisation, each committed to the very highest standards of customer satisfaction -

La société Bambi Air Compressors Ltd a été créée en 1977 et jouit d'une réputation de produits de qualité et d'un excellent service après-vente dans le monde entier. Dédieé à la fabrication de produits novateurs et construits de manière méticuleuse, notre large gamme d'équipements est aussi diverse que notre clientèle.

Notre politique d'amélioration et de développement continus nous a permis de rester aux avant-postes du secteur. Grâce à des acquisitions et à notre croissance organique, nous gérons aujourd'hui plusieurs branches spécialisées au sein de notre organisation, chacune s'engageant à atteindre les niveaux de satisfaction de la clientèle les plus élevés possible -

Bambi Air Compressors Ltd wurde 1977 gegründet und genießt weltweit einen hervorragenden Ruf für Qualität und After-Sales-Service. Unser umfassendes, innovatives und technisch ausgereiftes Fertigungsprogramm ist so vielseitig wie unsere Kunden!

Unsere Politik der ständigen Entwicklung und Verbesserung hat sichergestellt, dass wir in unserer Branche stets führend sind. Durch Akquisition und organisches Wachstum verfügen wir jetzt über eine Reihe von betrieblichen Fachabteilungen, die sich alle für höchste Kundenzufriedenheit engagieren -

Bambi Air Compressors Ltd fue fundada en 1977 y disfruta de reputación internacional por su calidad, servicio y atención postventa. Dedicados a la fabricación de productos innovadores y meticulosamente diseñados, nuestra amplia gama es tan diversa como nuestros propios clientes.

Nuestra política de desarrollo y mejora continuos asegura que siempre nos encontramos a la cabeza del sector. Gracias a las adquisiciones y el crecimiento de nuestra organización, hoy tenemos varias divisiones especializadas, todas ellas comprometidas con los altos estándares de satisfacción del cliente -

IBMIBI

- Budget Silent Running Air Compressors
- Medical/Dental Silent Air Compressors
- Oil Free Air Compressors

COMPTON COMPRESSORS

- Diaphragm Compressors & Vacuum Pumps
- Gas Circulators
- Sprinkler System Compressors

Our spray painting division manufactures -

AP 119

- HVLP Turbine Sprayers
- Multi Fleck Paint Sprayers

PORTASPRAY

IBMIBI

- Compresseurs d'air silencieux Budget
- Compresseurs d'air silencieux Medical/Dental
- Compresseurs à air à piston sec

COMPTON COMPRESSORS

- Pompes à vide & compresseurs à diaphragme
- Chauffe-eau à gaz
- Compresseurs pour les installations d'extincteurs à eau automatiques

Notre branche de peinture par pulvérisation fabrique -

AP 119

- Des pulvérisateurs à turbine HVLP
- Des pulvérisateurs de peinture multi-mouchetures

PORTASPRAY

IBMIBI

- Leise laufende Budget Druckluftkompressoren
- Leise laufende Medical/Dental Druckluftkompressoren
- Ölfreie Druckluftkompressoren

COMPTON COMPRESSORS

- Membrankompressoren und Vakuumpumpen
- Gaszirkulatoren
- Sprinkleranlagen-Kompressoren

Unsere Abteilung für Spritzlackierung fertigt -

AP 119

- HVLP Turbinenspritzanlagen
- Multi Fleck Lackspritzanlagen

PORTASPRAY

IBMIBI

- Compresores de Aire de Funcionamiento Silencioso Budget
- Compresores de Aire de Funcionamiento Silencioso Medical/Dental
- Compresores de Aire Sin Aceite

COMPTON COMPRESSORS


- Compresores de diafragma y Bombas de vacío
- Distribuidores de gas
- Compresores para sistemas de regadío por aspersión

Nuestra división de pintura con aerógrafo fabrica -

AP 119

- Aerógrafos con turbina HVLP
- Aerógrafos de pintura multicolor

PORTASPRAY



vt range Oil Free Air Compressors ultra quiet air

Bambi Air Compressors Ltd
152 Thimble Mill Lane, Heartlands, Birmingham B7 5HT, United Kingdom

Tel: +44 (0) 121 322 2299
Fax: +44 (0) 121 322 2297
email: sales@bambi-air.co.uk
www.bambi-air.co.uk



VT75D



VT75

Quality is the primary component built into each Bambi VT Oil Free Compressor.

At the heart of the VT range is our all new Vee Twin pump unit with one of the lowest noise levels of any oil free compressor available, made possible by the very latest “tilting piston” technology.

Perfect when you demand the highest possible air quality for critical applications; dentistry, scientific laboratories, food packaging, pneumatic controls, hospital ventilators, drink dispensing - and anywhere when low maintenance is essential.

Model								
VT75/VT75D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	120	24	8	0.55 0.75	220-240/50	72	29	63x50x41
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	108	96	85	74	65	57	48	45

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle

Model								
VT150/VT150D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	175	50	8	1.1 1.5	220-240/50	74	40	84x50x41
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	159	153	142	130	119	110	99	96

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle



VT150D



VT150

Model								
VT200/VT200D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	220	50	8	1.5 2.0	220-240/50	74	44	85x50x41
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	193	178	164	150	142	130	122	116

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle



VT200D



VT200

Every model is available with our innovative Air Dryer unit designed to guarantee “desert dry” air. The multi row, fan assisted after-cooler reduces the air temperature prior to entering the dryer. Dramatically reducing the air temperature enables the integral coalescing filter to collect and remove water droplets as small as 0.01 microns.



VT300D

Model								
VT300/VT300D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	350	100	8	2x1.1 2x1.5	220-240/50	76	75	77x115x40
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	318	306	284	260	238	220	198	192

D denotes dryer equipped version - Dimensions 77x115x49cm
-40°C Dewpoint based on 50% duty cycle
These models require 20 amp single phase power supply



VT300

Model								
VT400/VT400D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	440	100	8	2x1.5 2x2.0	220-240/50	76	85	78x115x42
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	386	356	328	300	284	260	244	232

D denotes dryer equipped version - Dimensions 78x115x51cm
-40°C Dewpoint based on 50% duty cycle
These models require 20 amp single phase power supply

All models are available in 110 volt or 380/415 volt 3 phase on request

In this way we remove 99% moisture content before the desiccant adsorption system powers the dryness right down to -40°C Dewpoint.

Constructed from high quality “Inox” stainless steel, the dryer regenerates itself every time the compressor cycles and requires no regular maintenance. An integral downstream HE dust filter removes any residual dust.

And, uniquely on this size of compressor, the Duplex units are fitted with a sequential start system which enables these 3.0Hp and 4.0Hp systems to run off a 20 amp single phase power source reducing installation costs and start up load.



VT400D



VT400



Soft Start Valve



Internally Coated Receiver



Air Dryer



After Cooler & Coalescing Filter



Sequential Start

Just some examples of the thorough engineering built in to every Bambi VT Oil Free Compressor.

So confident are we, that every compressor is protected by a comprehensive warranty extending to 5 years on the air receiver.



VTS75D

Model								
VTS75/VTS75D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	120	23	8	0.55 0.75	220-240/50	54	64	64x93x44
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	108	96	85	74	65	57	48	45

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle



VTS75



VTS150D

Model								
VTS150/VTS150D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	175	23	8	1.1 1.5	220-240/50	54	64	64x93x44
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	159	153	142	130	119	110	99	96

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle



VTS150



VTS200D

Model								
VTS200/VTS200D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	220	23	8	1.5 2.0	220-240/50	55	69	64x93x44
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	193	178	164	150	142	130	122	116

D denotes dryer equipped version
-40°C Dewpoint based on 50% duty cycle



VTS200

VTS Range, the perfect compressor for laboratories, food industry, drink dispensing, dental surgeries, medical equipment and all other clean-air critical applications.



ht range

Oil Free Air Compressors

ultra low noise

BAMBI

www.bambi-air.co.uk



- Ultra Quiet running, from just 53 dB(A)
- 100% Oil Free Design
- Efficient, Horizontal Twin pump unit
- Outlet Pressure Regulator fitted as standard
- Innovative Compact Design, perfect for limited space

This ground-breaking range is ideal for those applications where low maintenance and ultra quiet, oil free air is essential; scientific instruments, door controls, autoclave locks, stapling, picture framing and as a portable and rugged air supply for many diverse requirements. Available with 2 pole motor option delivering higher output with only a marginal increase in noise level – these models denoted 2P.

Model	HT3	HT3-2P	HT15	HT15-2P	HT24	HT24-2P
RPM	1400	2800	1400	2800	1400	2800
Kw HP	0.55 / 0.75	0.55 / 0.75	0.55 / 0.75	0.55 / 0.75	0.55 / 0.75	0.55 / 0.75
Volts/Hz	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Bar	8	10	8	10	8	10
Ltrs	3	3	15	15	24	24
L/Min	103	144	103	144	103	144
1 Bar	79	130	79	130	79	130
2 Bar	68	116	68	116	68	116
3 Bar	59	104	59	104	59	104
4 Bar	51	93	51	93	51	93
5 Bar	42	82	42	82	42	82
6 Bar	36	73	36	73	36	73
7 Bar	31	70	31	70	31	70
8 Bar	27	65	27	65	27	65
dB(A)	53	59	53	59	53	59
KG	10	10	14	14	15	15
CM-hxwxhd	26x23x43	26x23x43	55x37x37	55x37x37	53x40x40	53x40x40

Bambi Air Compressors Ltd

152 Thimble Mill Lane, Heartlands, Birmingham B7 5HT, United Kingdom

Tel: +44 (0) 121 322 2299

Fax: +44 (0) 121 322 2297

email: sales@bambi-air.co.uk

www.bambi-air.co.uk

Bambi Air Compressors Ltd was established in 1977 and enjoys a worldwide reputation for quality and after-sales care and service. Dedicated to the manufacture of innovative and meticulously engineered products, our extensive range is as diverse as our customers themselves.

Our policy of continual development and improvement has ensured we remain at the forefront of our industry. Through acquisition and organic growth we now operate a number of specialist divisions within our organisation, each committed to the very highest standards of customer satisfaction -

La société Bambi Air Compressors Ltd a été créée en 1977 et jouit d'une réputation de produits de qualité et d'un excellent service après-vente dans le monde entier. Dédicée à la fabrication de produits novateurs et construits de manière méticuleuse, notre large gamme d'équipements est aussi diverse que notre clientèle.

Notre politique d'amélioration et de développement continus nous a permis de rester aux avant-postes du secteur. Grâce à des acquisitions et à notre croissance organique, nous gérons aujourd'hui plusieurs branches spécialisées au sein de notre organisation, chacune s'engageant à atteindre les niveaux de satisfaction de la clientèle les plus élevés possible -

Bambi Air Compressors Ltd wurde 1977 gegründet und genießt weltweit einen hervorragenden Ruf für Qualität und After-Sales-Service. Unser umfassendes, innovatives und technisch ausgereiftes Fertigungsprogramm ist so vielseitig wie unsere Kunden!

Unsere Politik der ständigen Entwicklung und Verbesserung hat sichergestellt, dass wir in unserer Branche stets führend sind. Durch Akquisition und organisches Wachstum verfügen wir jetzt über eine Reihe von betrieblichen Fachabteilungen, die sich alle für höchste Kundenzufriedenheit engagieren -

Bambi Air Compressors Ltd fue fundada en 1977 y disfruta de reputación internacional por su calidad, servicio y atención postventa. Dedicados a la fabricación de productos innovadores y meticulosamente diseñados, nuestra amplia gama es tan diversa como nuestros propios clientes.

Nuestra política de desarrollo y mejora continuos asegura que siempre nos encontramos a la cabeza del sector. Gracias a las adquisiciones y el crecimiento de nuestra organización, hoy tenemos varias divisiones especializadas, todas ellas comprometidas con los altos estándares de satisfacción del cliente -



- Budget Silent Running Air Compressors
- Medical/Dental Silent Air Compressors
- Oil Free Air Compressors



- Diaphragm Compressors & Vacuum Pumps
- Gas Circulators
- Sprinkler System Compressors

Our spray painting division manufactures -



- HVLP Turbine Sprayers
- Multi Fleck Paint Sprayers



- Compresseurs d'air silencieux Budget
- Compresseurs d'air silencieux Medical/Dental
- Compresseurs à air à piston sec



- Pompes à vide & compresseurs à diaphragme
- Chauffe-eau à gaz
- Compresseurs pour les installations d'extincteurs à eau automatiques

Notre branche de peinture par pulvérisation fabrique -



- Des pulvérisateurs à turbine HVLP
- Des pulvérisateurs de peinture multi-mouchetures



- Leise laufende Budget Druckluftkompressoren
- Leise laufende Medical/Dental Druckluftkompressoren
- Ölfreie Druckluftkompressoren



- Membrankompressoren und Vakuumpumpen
- Gaszirkulatoren
- Sprinkleranlagen-Kompressoren

Unsere Abteilung für Spritzlackierung fertigt -



- HVLP Turbinenspritzanlagen
- Multi Fleck Lackspritzanlagen



- Compresores de Aire de Funcionamiento Silencioso Budget
- Compresores de Aire de Funcionamiento Silencioso Medical/Dental
- Compresores de Aire Sin Aceite



- Compresores de diafragma y Bombas de vacío
- Distribuidores de gas
- Compresores para sistemas de regadío por aspersión

Nuestra división de pintura con aerógrafo fabrica -



- Aerógrafos con turbina HVLP
- Aerógrafos de pintura multicolor



md range Silent Air Compressors high performance

Bambi Air Compressors Ltd

152 Thimble Mill Lane, Heartlands, Birmingham B7 5HT, United Kingdom

Tel: +44 (0) 121 322 2299

Fax: +44 (0) 121 322 2297

email: sales@bambi-air.co.uk

www.bambi-air.co.uk





Ultra high performance with ultra low noise - the Bambi MD range. Designed for applications demanding the highest quality air supply with all the benefits of very low noise levels. At the heart of the range is the oil lubricated T75 pump unit developed to deliver 50% more air compared to other silent compressors and the *only* silent compressor fitted with piston rings eliminating oil carryover to the air supply.

Model								
35/20	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	50	4	8	0.34 0.5	220-240/50	40	18	33x28x32
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	45	40	37	35	34	33	32	31

Max Duty Cycle = 50%. 110 volt available on request

35/20

Model								
75/80	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	78	9	8	0.50 0.5	220-240/50	55	33	41x54x34
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	62	63	59	57	56	54	53	52

Max Duty Cycle = 50%. 110 volt available on request

Only Bambi offers this unique combination of piston rings and high performance pump* which means the MD range is perfect for critical applications; scientific laboratories, dentistry, pneumatic control systems and any other application requiring ultra clean, ultra silent air!

With sound levels from just 40dB(A) and almost no vibration when running, Bambi MD Compressors can be located in the work area without causing any noise intrusion. Perfect as a stand alone air centre or for a range of OEM requirements.

Model								
75/150	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	78	15	8	0.50 0.5	220-240/50	55	37	67x46x30
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	62	63	59	57	56	54	53	52

75/150v specification as above, Dimensions 54x37x37cm - 32KGs
Max Duty Cycle = 50%. 110 volt available on request

Model								
75/250	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	78	24	8	0.50 0.5	220-240/50	55	35	59x63x24
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	62	63	59	57	56	54	53	52

75/250v specification as above, Dimensions 57x41x43cm - 35KGs
Max Duty Cycle = 50%. 110 volt available on request



75/250v



75/250 with optional wheel kit



75/80



75/150



75/150v



75/250

Model								
150/500	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	156	50	8	1.0 1.0	220-240/50	56	69	66x83x26
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	124	126	118	114	112	108	106	104

Above dimensions exclude wheels, when fitted +4cm to height
Max Duty Cycle = 50%. 110 volt available on request



150/500 fitted with standard wheel kit supplied



150/500

The "V" designated models have the same specification as the horizontal versions but in an ultra compact package. All models have an 8 bar maximum working pressure, optional higher pressures are available on request.

As you would expect on this high quality, high performance range, the standard specification is very high; air receivers are internally powder coated to prevent corrosion*, internal valves are stainless steel and each model is equipped with a 10 micron air filter & outlet pressure regulator as standard. Models 150/500 & 225/1000 are supplied with easy to fit wheel kits, available as an option for 75/250.



225/1000



225/1000 fitted with standard wheel kit supplied

Model								
225/1000	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d
	234	100	8	1.5 1.5	220-240/50	57	108	72x118x35
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar
L/Min	187	189	177	171	168	162	159	156

Above dimensions exclude wheels, when fitted +5cm to height
Max Duty Cycle = 50%. Requires 20 amp single phase power supply




Unique Bambi Piston Rings



Internally Coated Receiver



High Output T75 Pump Unit



Low Noise Non Return Valve



10 Micron Outlet Filter & Adjustable Pressure Regulator

Bambi compressors have been designed to maximise efficiency and ensure years of trouble free operation, which together with our comprehensive warranty extending to 5 years on the air receiver explains why so many are in use worldwide in all types of vital applications.

*not model 35/20

Bambi Air Compressors Ltd was established in 1977 and enjoys a worldwide reputation for quality and after-sales care and service. Dedicated to the manufacture of innovative and meticulously engineered products, our extensive range is as diverse as our customers themselves.

Our policy of continual development and improvement has ensured we remain at the forefront of our industry. Through acquisition and organic growth we now operate a number of specialist divisions within our organisation, each committed to the very highest standards of customer satisfaction -

La société Bambi Air Compressors Ltd a été créée en 1977 et jouit d'une réputation de produits de qualité et d'un excellent service après-vente dans le monde entier. Dédicée à la fabrication de produits novateurs et construits de manière méticuleuse, notre large gamme d'équipements est aussi diverse que notre clientèle.

Notre politique d'amélioration et de développement continus nous a permis de rester aux avant-postes du secteur. Grâce à des acquisitions et à notre croissance organique, nous gérons aujourd'hui plusieurs branches spécialisées au sein de notre organisation, chacune s'engageant à atteindre les niveaux de satisfaction de la clientèle les plus élevés possible -

Bambi Air Compressors Ltd wurde 1977 gegründet und genießt weltweit einen hervorragenden Ruf für Qualität und After-Sales-Service. Unser umfassendes, innovatives und technisch ausgereiftes Fertigungsprogramm ist so vielseitig wie unsere Kunden!

Unsere Politik der ständigen Entwicklung und Verbesserung hat sichergestellt, dass wir in unserer Branche stets führend sind. Durch Akquisition und organisches Wachstum verfügen wir jetzt über eine Reihe von betrieblichen Fachabteilungen, die sich alle für höchste Kundenzufriedenheit engagieren -

Bambi Air Compressors Ltd fue fundada en 1977 y disfruta de reputación internacional por su calidad, servicio y atención postventa. Dedicados a la fabricación de productos innovadores y meticulosamente diseñados, nuestra amplia gama es tan diversa como nuestros propios clientes.

Nuestra política de desarrollo y mejora continuos asegura que siempre nos encontramos a la cabeza del sector. Gracias a las adquisiciones y el crecimiento de nuestra organización, hoy tenemos varias divisiones especializadas, todas ellas comprometidas con los altos estándares de satisfacción del cliente -

IBMBI

- Budget Silent Running Air Compressors
- Medical/Dental Silent Air Compressors
- Oil Free Air Compressors

COMPTON COMPRESSORS

- Diaphragm Compressors & Vacuum Pumps
- Gas Circulators
- Sprinkler System Compressors

Our spray painting division manufactures -

APLLO

- HVLP Turbine Sprayers
- Multi Fleck Paint Sprayers

PORTASPRAY

IBMBI

- Compresseurs d'air silencieux Budget
- Compresseurs d'air silencieux Medical/Dental
- Compresseurs à air à piston sec

COMPTON COMPRESSORS

- Pompes à vide & compresseurs à diaphragme
- Chauffe-eau à gaz
- Compresseurs pour les installations d'extincteurs à eau automatiques

Notre branche de peinture par pulvérisation fabrique -

APLLO

- Des pulvérisateurs à turbine HVLP
- Des pulvérisateurs de peinture multi-mouchettes

PORTASPRAY

IBMBI

- Leise laufende Budget Druckluftkompressoren
- Leise laufende Medical/Dental Druckluftkompressoren
- Ölfreie Druckluftkompressoren

COMPTON COMPRESSORS

- Membrankompressoren und Vakuumpumpen
- Gaszirkulatoren
- Sprinkleranlagen-Kompressoren

Unsere Abteilung für Spritzlackierung fertigt -

APLLO

- HVLP Turbinenspritzanlagen
- Multi Fleck Lackspritzanlagen

PORTASPRAY

IBMBI

- Compresores de Aire de Funcionamiento Silencioso Budget
- Compresores de Aire de Funcionamiento Silencioso Medical/Dental
- Compresores de Aire Sin Aceite

COMPTON COMPRESSORS

- Compresores de diafragma y Bombas de vacío
- Distribuidores de gas
- Compresores para sistemas de riego por aspersión

Nuestra división de pintura con aerógrafo fabrica -

APLLO

- Aerógrafos con turbina HVLP
- Aerógrafos de pintura multicolor

PORTASPRAY



budget range

Silent Air Compressors

ultra low noise

Bambi Air Compressors Ltd

152 Thimble Mill Lane, Heartlands, Birmingham B7 5HT, United Kingdom

Tel: +44 (0) 121 322 2299

Fax: +44 (0) 121 322 2297

email: sales@bambi-air.co.uk

www.bambi-air.co.uk

IBMBI
www.bambi-air.co.uk



BB8

The **Budget Range** has been developed for those users where ultra low noise and high performance is essential. With sound levels from just 40dB(A) and almost no vibration when running, Bambi Budget Compressors can be located in the work area without causing any noise intrusion.

Model									
BB8	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	50	9	8	0.34 0.5	220-240/50	40	21	47x34x34	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	40	38	36	35	34	33	32	31	

Max Duty Cycle = 50%. 110 volt available on request.

Where space is really limited, the "V" designated models have the same specification as the wheel mounted versions but in an ultra compact package. Standard versions have an 8 bar maximum working pressure, optional higher pressures are available on request.

Model									
BB15V	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	50	15	8	0.34 0.5	220-240/50	40	22	47x37x37	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	40	38	36	35	34	33	32	31	

Model									
BB15	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	50	15	8	0.34 0.5	220-240/50	40	28	61x50x30	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	40	38	36	35	34	33	32	31	

Max Duty Cycle = 50%. 110 volt available on request.



BB24



BB24 with optional wheel kit

Model									
BB24	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	50	24	8	0.34 0.5	220-240/50	40	26	49x65x25	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	40	38	36	35	34	33	32	31	

Max Duty Cycle = 50%. 110 volt available on request.



BB24V

Model									
BB24V	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	50	24	8	0.34 0.5	220-240/50	40	28	52x40x40	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	40	38	36	35	34	33	32	31	

Max Duty Cycle = 50%. 110 volt available on request.



BB24D

Model									
BB24D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	100	24	8	0.68 1.0	220-240/50	42	31	49x65x25	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	80	76	72	70	68	66	64	62	

Max Duty Cycle = 50%. 110 volt available on request.



BB24D with optional wheel kit

Model									
BB50D	L/Min	Ltrs	Bar	Kw HP	Volts/Hz	dB(A)	KG	CM-hxwx d	
	100	50	8	0.68 1.0	220-240/50	42	46	55x88x29	
FAD	1 Bar	2 Bar	3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
L/Min	80	76	72	70	68	66	64	62	

Max Duty Cycle = 50%. 110 volt available on request.



BB50D with optional wheel kit



BB50D

Designed to require minimal maintenance and to ensure years of trouble free use, our comprehensive range meets the needs of many applications including: air-brushing, exhibition stands, glue dispensing, pneumatic controls, stapling - anywhere where compressed air is needed **silently!**

But, Budget Range doesn't mean budget specification. Each model in the range has the following features as standard -



Internally Coated Air Receiver



Clearview Oil Level Check



Easy to use Oil Filler Plug



10 Micron Outlet Filter & Adjustable Pressure Regulator

And because they're built by Bambi, quality, ease of use and reliability come as standard on every model. A comprehensive warranty extending to 3 years on the air receiver ensures peace of mind which combined with our worldwide after sales care package guarantees you have made the right choice by choosing Bambi.